EN 584.

ISSN 0013-8908

THE ENTOMOLOGIST'S MONTHLY MAGAZINE

World List Abbreviation, 4th ed. (1963): *Entomologist's mon. Mag.*

EDITED BY
B. M. HOBBY, M.A., D.Phil., F.L.S., F.R.E.S.
Prof. T. R. E. SOUTHWOOD, D.Sc., Ph.D., F.R.S.
M. G. MORRIS, M.A., Ph.D., F.R.E.S.
K. G. V. SMITH, M.I.Biol., F.L.S., F.Z.S., F.R.E.S.
J. W. ISMAY, B.Sc., Ph.D., F.R.E.S.
P. M. HAMMOND, M.A., F.R.E.S.
W. R. DOLLING, B.Sc., F.R.E.S.

VOLUME 118

'J'engage donc tous à éviter dans leurs écrits toute personalité, toute allusion dépassant les limites de la discussion la plus sincère et la plus courtoise.' – *Laboulbène.*

THE ENTOMOLOGIST'S MONTHLY MAGAZINE
BRIGHTWOOD
BRIGHTWELL, WALLINGFORD, OXON OX10 0QD
1982

CONTENTS

CONTRIBUTORS iii
GENERAL INDEX iv
SPECIAL INDEX –
ARACHNIDA vii
COLEOPTERA vii
COLLEMBOLA ix
DERMAPTERA ix
DICTYOPTERA ix
DIPTERA ix
HEMIPTERA x
HYMENOPTERA xi
ISOPTERA xi
LEPIDOPTERA xi
ODONATA xiii
ORTHOPTERA xiii
PSOCOPTERA xiii
SIPHONAPTERA xiii
THYSANOPTERA xiii
TRICHOPTERA xiii
GROUPS OTHER THAN INSECTA AND ARACHNIDA xiii
ERRATA AND CORRIGENDA xiv

DATES OF PUBLICATION

January/February/March/April	29th April 1982
May/June/July/August	9th August 1982
September/October/November/December	22nd November 1982

INDEX

This index covers the year 1982 (Vol. 118). Items occurring on the wrappers are indicated by Roman numerals.

INDEX TO CONTRIBUTORS

Alexander, K.N.A., 47, 100, 174
Allen, A.A., 48, 86, 96, 229, 232, 238, 256
Anderson, R., 25, 44, 225
Andow, D., 211
Archer, M.E., 71, 176, 229
Armitage, P., 143
Askew, R.R., 116
Atty, D.B., 161, 162, 174
Ballard, B., 219
Barnard, P.C., 48
Bhattacharya, S., 101
Binns, E.S., 55
Bird, T.J., 68
Brindle, A., 163
Bruzzese, E., 249
Bunn, D.S., 171, 213
Carr, R., 209
Clements, R.O., 133
Cole, J.H., 162
Cooter, J., 54
Cox, M.L., 145
Cox, P., 39, 145
Crosskey, R.W., 252
Crossley, R., 111
Crowson, R.A., 36, 75, 125
Darby, M., 188
Davies, R.G., 93
Dear, J.P., 74
Deeming, J.C., 212
Dicker, G.H.L., 117
Disney, R.H.L., 9, 29, 113, 115, 189, 233, 247, 255
Dolling, W.R., 92
Drane, A.B., 162
Duncan, A.B., 30, 165
Eds., 16, 36, 47, 96, 162, 174, 242, vii
Edwards, M., 19
Edwards, R., 45
Ene, J.C., 7
Entwhistle, P.F., 245
Evans, M.E.G., 170
Fennah, R.G., 49
Fleming, D.A., 127
Forsythe, T.G., 1
Foster, G.N., 26
Greathead, D.J., 230
Hall, R.A., 55
Hamid, A., 7
Hammond, P.M., 37, 100, 225, 231, 241
Harding, P.T., 166
Hayes, A.J., 195
Henshaw, D.J. de C., 142, 144
Hockin, D.C., 26, 97
Howse, D., 144
Hutson, A.M., 132, 167
International Commission on Zoological Nomenclature, 112, 120, 176, 210
Irwin, A.G., 194, 235
Jacob, T.A., 127
Jago, N.D., 234
Kearney, J.N., 157
Lane, R.P., 99
Liston, A.D., 10, 73, 119, 198, 210
Lohse, G.A., 201
Loxton, R.G., 132
McGavin, G.C., 79
McLean, I.F.G., 193
Majerus, M.E.N., 207
Marsh, R.J., 254
Marshall, J.A., 74
Martin, M.H., 121
Mendel, H., 22, 52, 226, 253
Miles, P.M., 11, 199
Mill, A.E., 243
Miller, P.L., 177
Morris, M.G., 100, 156, 206, 241, 246
Mound, L.A., 175
Murray, D.A., 44
Nash, D.R., 21, 54, 110, 124, 144, 209, 210, 226, 256
O'Connor, J.P., 44, 226
Owen, J.A., 22, 44, 68
Parry, J.A., 227
Payne, R.M., 162
Phipps, J.D., 71
Pickford, R.J.J., 55
Post, R.J., 31
Prance, D., 241
Racheli, T., 116
Rahbari, S., 53
Rak, H., 53
Read, R.W.J., 51
Redhead, E. Milne-, 5
Reid, D., 78, 245, 246
Ritchie, J.M., 124
Rivers, C.F., 173
Robinson, G.S., 77
Sevastopulo, D.G., 17, 87
Shah, M.P., 69
Sharma, S.K., 23
Singh, S., 23
Smith, K.G.V., 6, 110, 120, 173, 194, 242
Smithers, C.N., 226
Speight, M.C.D., 205
Thompson, J.L. Cloudsley-, 112
Turner, A.S., 142
Van der Goot, V.S., 248

Vazirani, T.G., 239
Verdcourt, B., 99, 254
Verlinden, L., 248
Verma, K.K., 101
Walker, A.K., 175
Watts, O., 78
Welch, R.C., 166
Wetzler, R., 211
White, K.M., 109
Williams, D.J., 27, 93
Williams, S.A., 174
Wirth, W.W., 233

GENERAL INDEX

Aberdeenshire, marine intertidal insects from, 26
Additional records of, *Chrysolina violacea* (Col., Chrysomelidae), 156; *Epiphanis cornutus* (Col., Eucnemidae), 161; *Elachiptera pubescens* (Dipt., Chloropidae), 162
African *Diplatys* (Dermaptera), Three new species of, 163
Afrotropical Region, *Stenoponia*, A subfamily of fleas new to, 167
Anglesey, A new species of *Stenomicra* (Dipt., Aulacigastridae) from, 235
Antennal aberration in Thysanoptera, 175
Anting rook and *Lasius niger* (Hym., Formicidae), 199
Badgers, flies associated with, 162
Bedfordshire, *Ceutorhynchus turbatus* (Col., Curculionidae) in, 241
Blackberry stem boring sawfly *Hartigia albomaculatus*, biology of parasite of, 249
Bleaching technique, 144
Book, attack of by *Dermestes lardarius* (Col., Dermestidae), 254
Brecon, *Strangalia quadrifasciata* (Col., Cerambycidae) in, 242
Britain, *Anthocoris amplicollis* (Hem., Anthocoridae) new to, 111; *Apion intermedium* (Col., Curculionidae) new to, 227; *Ectemnius borealis* (Hym., Sphecidae), first true occurrence in, 109; *Ernoporus caucasicus* (Col., Scolytidae), in, 166; *Geomyza apicalis* and *G. venusta* (Dipt., Opomyzidae) recurrence in, 96; *Hemicoelus nitidus* (Col., Anobiidae) new to, 253; Isolation of *Maculinea arion* (Lep., Lycaenidae) in, 97; *Meotica lohsei* (Col., Staphylinidae) new to, 44; Midge (Dipt., Ceratopogonidae) new to, 233; *Passaloecus eremita* (Hym., Sphecidae) recently recorded from, 117; *Platymeris biguttata* (Hem., Reduviidae) in, 45
British species, *Cymindis macularis* (Col., Carabidae) a, 37; of *Phacophallus* (Col., Staphylinidae), 231
Bruchidae (Col.), A new species of *Caryedon*, 239
Buckinghamshire, *Epiphanis cornutus* (Col., Eucnemidae) and other interesting Coleoptera at Shabbington Wood, 78
Clearing technique, 144
Cornwall, Local and rare Coleoptera in, 100
Cucumbers, *Thrips tabaci* (Thysanoptera) on glasshouse, 55
Cumbria, *Notiophilus aestuans* (Col., Carabidae) in, 174
Defence fluids, oral, in *Pterostichus madidus* (Col., Carabidae), 1
Delphacidae (Hom.), a new genus of, 49
Devon, local and rare Coleoptera in, 100
Diapause, adult, and ovariole structure in *Aspidomorpha miliaris* (Col., Chrysomelidae), 101
Dorset, *Apion difficile* (Col., Apionidae) in, 246; *Ceutorhynchus turbatus* (Col., Curculionidae) in, 241; *Hypera meles* (Col., Curculionidae) in, 206; *Tapinotus sellatus* (Col., Curculionidae) in, 100
Down (Co.), *Deleastor dichrous* (Col., Staphylinidae) in, 25; *Trechus discus* (Col., Carabidae) in, 44
Dumfreesshire, *Criorhina ranunculi* (Dipt., Syrphidae) in, 165; *Tropidia scita* (Dipt., Syrphidae) in, 30
Durham, rediscovery of *Stenus fossulatus* (Col., Staphylinidae) in, 246
East Anglia, *Pachycoleus waltli* (Hem., Dipsocoridae), new to, 194
England, new localities for *Achalcus cinereus* (Dipt., Dolichopodidae) in, 245
Enzymes of oral defence fluids of *Pterostichus madidus* (Col., Carabidae), 1
Errata, 52
Essex, *Anobium inexpectatum* (Col., Anobiidae) in, 209; *Ceutorhynchus turbatus* (Col., Curculionidae), 241; *Lithostygnus serripennis* (Col., Lathridiidae) in, 210; Swarm of *Sepsis fulgens* (Dipt., Sepsidae) in, 142

Fecundity and longevity of *Dermestes lardarius* (Col., Dermestidae), Influence of free water on, 127
Feeding at flowers by *Xylota segnis* (Dipt., Syrphidae), 193
Foodplant for *Tenthredo balteata* (Hym., Tenthredinidae), Bracken as, 198
Fuel contaminant in helicopter fuel, *Microchironomus deribae* (Dipt., Chironomidae), a, 44
Gall wasp, *Andricus lignicola,* with an expanding distribution, 116
Gloucestershire, *Trichius fasciatus* (Col., Scarabaeidae) in, 162
Goats, oestrid larvae (Dipt.) in, from Iran, 53
Gower, *Leistus rufomarginatus* (Col., Carabidae) from, 170
Grassland, techniques for sampling and extracting invertebrates from, 133
Hereford, *Anaspis schilskyana* (Col., Scraptiidae) at Moccas Park, 68; *Dropephylla grandiloqua* (Col., Staphylinidae) in, 166
Indian, *Purohita* (Hom., Delphacidae), a new species of, 23; new leaf mining pest (Dipt., Agromyzidae) of *Zea mays,* 69; species of *Lesteva* (Col., Staphylinidae), 201
Inheritance of two melanic forms of the alder moth (*Acronicta alni*) (Lep., Noctuidae), 207
International Commission on Zoological Nomenclature, 112, 120, 176, 210
Iran, Collembola of north and north west, 39; Oestrid larvae (Dipt.,) from sheep and goats in, 53; Water beetles in northern, 145
Irish, record of booklouse *Badonnelia titei* (Psocoptera), 226; record of *Stenus brevipennis* (Col., Staphylinidae), a second, 225
Isolation of *Maculinea arion* (Lep., Lycaenidae) in Great Britain, 97
Kampala, migrant *Achaea* (Lep., Noctuidae) in, 17
Kent, *Apion intermedium* (Col., Curculionidae) in, 217; aquatic Coleoptera of, 209; *Dromius angustus* (Col., Carabidae) new to, 232; *Eupteryx atropunctata, E. origani* (Hem., Cicadellidae) correcting record as new to, 256; *Eurina lurida* (Dipt., Chloropidae) recaptured in, E., 174; *Geomyza apicalis* and *G. venusta* (Dipt., Opomyzidae) in, 96; *Leiodes clavicornis* (Col., Leiodidae) in E., 174; *Micropeza lateralis* (Dipt., Micropezida Micropezidae) associated with broom in, 86
Kew, *Gorytes bicinctus* (Hym., Sphecidae) at, 99
Knopper galls on oak, biology of *Andricus quercuscalicis* (Hy., Cynipidae) the inducer of, 121
Lake district, *Pterostichus cristatus* (Col., Carabidae) in, 47
Lancashire, *Lomechusa emarginata* (Col., Staphylinidae), in north, 22
Lincolnshire, late colony of *Vespula germanica* (Hym., Vespidae) in, 71
London, *Orsodacne lineola* (Col., Chrysomelidae) in S.E., 48; *Trigonacrus emmeae* (Hym., Corixidae) in S.E., 96
Longevity and fecundity of *Dermestes lardarius* (Col., Dermestidae), Influence of free water on, 127
Low countries, *Eriozona syrphoides* (Dipt., Syrphidae) in the, 248
Macropterous individuals of *Trechus obtusus* (Col., Carabidae), 132
Marking insects, a new method for mass, 211
Mapping scheme for mason wasps, 229
Microbial food sources of two British woodland *Drosophila* (Dipt., Drosophilidae), 157
Migrant *Achaea* (Lep., Noctuidae) in Kampala and Mombasa, 17
Mimic, Bumblebee, *Trichius fasciatus* (Col., Scarabaeidae) in Wales, 11
Miridae (Hem.), A new genus of, 79
Mombasa, Migrant *Achaea* (Lep., Noctuidae) in, 17; Heterocera (Lep.) in, 87
Natural history of *Simulium erythrocephalum* (Dipt., Simuliidae), 31
Nature Conservancy Council, vii
Nesting cycle of *Dolichovespula sylvestris* (Hym., Vespidae), 213
Nigeria, A new rice pest from, 7; Hostplant records for some *Diopsis* (Dipt., Diopsidae) in, 212
Norfolk, *Leptura rubra* (Col., Cerambycidae) in, 52; *Micropeza lateralis* (Dipt., Microzidae) associated with broom in, 86
Northants, *Ptinus subpilosus* (Col., Ptinidae) in, 162
Northern record of *Paracharactus gracilicornis* (Hym., Tenthredinidae), 210
North of England, *Agabus chalconatus* (Col., Dytiscidae) in, 26; *Ancistrocerus gazella* (Hym., Eumenidae) from, 176
Obituary, Dr K.L. Boratynski, 93
Observations on *Phyllodrepoidea crenata* (Col., Staphylinidae), 125
Ovariole structure and adult diapause in the tortoise beetle *Aspidomorpha miliaris* (Col., Chrysomelidae), 101

Parasite, *Pseudopimpla pygidiator* (Hym., Ichneumonidae), of blackberry stem boring sawfly, 249
Parthogenesis, evidence for, in *Acrotrichis cognata* (Col., Ptilidae), 188
Peebleshire, *Cephalcia lariciphila* (Hym., Pamphilidae), in, 10
Perth Museum, a scale insect in the, 27
Phoridae (Dipt.), Notes on the genus *Coridophora*, 9; the undescribed male of *Conicera kempi*, 29; what is *Diplonevra abdominalis* ?, 113; synonym in *Borophaga*, 115; re-evaluation of the genus *Citrago*, 247; true identity of *Triphleba palposa* of British list, 189
Predator (sphecid wasp) on *Simulium equinum* (Dipt., Simuliidae) in England, 252
Rearing *Manduca sexta* (Lep., Sphingidae) for research, 219
Reise Igiennem Island, and scale insects, 27
REVIEWS. – **Allan, P.B.M.**, 1980, *Leaves from a moth-hunters notebooks*, 110; **Buczacki, S.T. & Harris, K.**, 1981, *Collin's guide to the pests, diseases and disorders of garden plants*, 173; **Edington, J.M. & Hildrew, A.G.**, 1981, *A key to the caseless caddis larvae of the British Isles with notes on their ecology*, 48; **Froeschner, R.C.**, 1981, *Heteroptera or true bugs of Ecuador: a partial catalogue*, 92; **Grotz, M.**, 1981, *Litterae Entomologicae*, vol. 1, part 1, 194; **Hackman, W.**, 1980, *Enumeratio Dipterorum Fenniae*, 242; **Hall, J.C. & Evenhuis, N.L.**, 1980, *Flies of the Nearctic Region vol. 5, part 13*, no. 1, 230; **Hardy, D.E.**, 1981, *Insects of Hawaii*, 14, Diptera Cyclorrhapha, iv, 74; **Heath, G.L.**, 1981, *Rearing and studying the praying mantids*, 74; **Heppner, J.B. & Duckworth, W.D.**, 1981, *Classification of the superfamily Sesoidea (Lep., Ditrysia)*, 77; **Jones, J.C.**, 1981, *The Anatomy of the grasshopper Romalea microptera*, 234; **Larsen, T.B. & Larsen, K.**, 1980, *Butterflies of Oman*. 116; **Marshall, A.G.**, 1981, The *ecology of Ectoparasitic insects*, 132; **Otte, D.**, *The North American grasshoppers, vol. 1, Acrididae: Gomphocerinae and Acridinae*, 124; **Reigart, P.W.**, 1980, *From arsenic to DDT: a history of entomology in western Canada*, 194; **Rosenthal, G.A. & Janzen, D.H.**, *Herbivores: their interaction with secondary plant metabolites*, 36; **Seaward, M.R.D.**, 1981, *A handbook for naturalists*, 6; **Simms, R.W. & Hollis, D.**, 1980, *Animal identification – a reference guide*, 120; **Snedecor, G.W. & Cochran, W.G.**, 1980, *Statistical Methods*, 99, **Van der Goot, V.S.**, 1981, *De zweefvliegen van Noordwest-Europa en Europees Rusland, in het Bijzonder van de Benelux*, 205; **Whalley, P.**, 1981, *Pocket guide to butterflies*, 173
Rice pest from Nigeria, A new, 7
Sampling and extraction techniques for collecting invertebrates from grassland, 133
Scotland, Cerylonidae (Col.) of, 75; *Monophadnoides waldheimi* and *M. alternipes* (Hym., Tenthredinidae) in, 73; *Sirex cyaneus* (Hym., Siricidae) in, 195; two southern sawflies (Hym., Tenthredinidae) from Loch Leven NNR, Fife, 119
Scottish Field Studies Association, 96
Sheep, Oestrid larvae (Dipt.) from, in Iran, 53
Staffordshire, Carabidae (Col.) from Himley Hall in, 142
Suffolk, *Agonum gracilipes* (Col., Carabidae) in, 124; *Badonnelia titei* (Psocoptera) from Ipswich, 226; *Cossonus parallelepipedus* (Col., Curculionidae) in, 21; *Cryphalus abietis* (Col., Scolytidae) in 226; *Leptura rubra* (Col., Cerambycidae) in, 52; Midge (Dipt., Ceratopogonidae) from teasel axil-waters, new to Britain from, 233; *Pityogenes trepanatus* (Col., Scolytidae) new to, 54; *Prionychus ater* (Col., Tenebrionidae) in, 144; *Stethorus punctillum* (Col., Coccinellidae) in, 110; *Wachtliella riparia* (Dipt., Cecidomyiidae) in, 5
Sussex, *Crossocerus exiguus* (Hym., Sphecidae) in, 19
Swarm of *Sepsis fulgens* (Dipt., Sepsidae) in, 142
Swimming by scolopendromorph centipedes, 112
Techniques, for sampling grassland invertebrates, 133; for clearing and bleaching, 144
Temporal partitioning and other aspects of reproductive behaviour in two African libellulid dragonflies, 177
Termite hunter, giant, *Pachycondyla commutata* (Hym., Formicidae), 243
Usurpation in wasps (Hym., Vespidae), 171
Wales, A new species of *Stenomicra* (Dipt., Aulacigastridae) from Anglesey, 235; *Dasysyrphus friuliensis* in coniferous forests in, 245; *Trichius fasciatus* (Col., Scarabaeidae) distribution in, 11
Water, influence of free, on fecundity and longevity of *Dermestes lardarius* (Col., Dermestidae), 127; first record of *Strigamia maritima* (Chilopoda) in fresh, 143
Wiltshire, *Hylastes brunneus* (Col., Scolytidae) in, 256
Windsor Forest, *Cryptophagus falcozi* (Col., Cryptophagidae) in, 22

Worcestershire, *Apion difficile* (Col., Apionidae) in, 246
Yorkshire, *Leistus rufomarginatus* (Col., Carabidae) from South Pennines, 68; large numbers of *Pyropterus nigroruber* (Col., Lycidae) in woodland in, 254
Ythan estuary (Aberdeen), intertidal insects from, 26

SPECIAL INDEX

Compiled by Sir Christopher Andrewes, F.R.S. (all insect orders except Coleoptera & Lepidoptera); the remainder by the editors. New genera, and species, etc., are indicated by heavy type, genera and species new to Britain by an asterisk (*).

ARACHNIDA

Attus otiosus, 120
Ixodes, 112
Mites, collecting method, 139
Phrynus, 120
Phytoseiulus, 62, 66; persimilis, 57
'Pseudoscorpions', 2

COLEOPTERA

Abax parallelipipedus, 3, 142
Acalymma vittatum, 211
Acrotrichis cognata, insularis, platonoffi, 188
Adrastus rachifer, 227
Agabus chalconatus, chalconatus ff chalconatus, melanocornis, melanocornis, 26; nebulosus, 151, 153
Agonum albipes, 3; assimile, 3, 142; gracilipes, 124
Aloconota cambrica, currax, 25
Amara 4; aenea, 142; apricaria, 37, aulica, 3; consularis, 37; equestris, 37; familaris, lunicollis, similara, 142
Ampedus elongatulus, 78
Anaglyptus mysticus, 78
Anaspis frontalis, 242; garneysi, schilskyana, 68
Anobium inexspectatum, 209
Anommatus duodecemstriatus, 75
Anthicus floralis, formicarius, 232
Anthonomus grandis, 108
Apion aenum, 256; difficile, 246; *intermedium, 227-9; radiolus, 256; reflexum, 227; tenue, 227-8
Arhopalus rusticus, 52
Aridius bifasciatus, 22; nodifer, 210
Aspidomorpha miliaris, 101-9
Aucalophora foveicollis, 108
Aulonogyrus concinnus, 151-3, 156
Badister bipustulatus, 3
Bambara, 188
Barypeithes sulcifrons, 100
Bembidion atrocoeruleum, decorum, 25; harpaloides, 3; nitidulum, stephensi, 246; tetracolum, 142; tibiale, 25
Berosus, 145; signaticollis, 151-3; spinosus, 151, 153
Bradycellus harpalinus, 142
Broscus cephalotes, 3, 4
Buprestis nana, 120
Byrrhus semistriatus, 176
Bythinopsis tychoides, 188
Caenoscelis subdeplanata, 232
Calathus erratus, 37; fuscipes, 142; melanocephalus, 37, 142; mollis, piceus, 3, 142
Calosoma spp., 4
Carabus spp., 4; granulatus, nemoralis, problematicus, 3; violaceous, 3-4, 142
Carcinops pumilio, 232
Carpelimus lindrothi, 38
Caryedon prosopidus, 239, 241; southgatei, 239-41
Catops, 188
Cercyon, 145; unipunctatus, 232
Cerylon fagi, histeroides, ferrugineum, 75-6
Ceutorhynchus turbatus, 241
Chrysolina violacea, 156
Cilea silphoides, 232
Clavina fosser, 3, 4; collaris, 3
Coelambus impressopunctatus, 151-3
Coelostoma, 145, orbiculare, 151, 153
Cossum ? parallelipipedus, 21
Crenitus, 145
Cryphalus abietis, 226
Cryptocephalus aureolus, bipunctatus, fulvus, labiatus, 51; moraei, parvulus, pusillus, 51, 52
Cryptophagus falcozi, westi, 22
Cybister lateromarginalis, tripunctatus, 151-3
Cychrus spp., 4; caraboides, 3; caraboides rostratus, 142
Cymindis axillaris, 37-8; humeralis, 37; *macularis, 37-8
Deleaster dichrous, 25
Dermestes lardarius, 127-30, 254; maculatus, 129
Diabrotica longicornis, 211
Dicheirotrichus gustavi, 3
Diglotta submarina, 26
Dromius angustus, meridionalis, 232
Dropephylla grandiloqua, 166
Dytiscus circumflexus, 174; dimidiatus 151-3, 156; marginalis, 3
Enochrus, 145; bicolor, 151, 153; coarctatus, 151-2; melanocephalus, 151, 153

Epilachna varivestis, 211
Epiphanis cornutus, 78
Ernoporus caucasicus, tiliae, 166
Euophryum confine, 22
Gabronthus thermarum, 232
Galeruca tanaceti, 108
Galerucella pusilla, 100
Gaurodytes bipustulatus, 151, 153-4
Gauropterus fulgidus, 232
Gnypeta velata, rubrior, 229
Guignotus geminus, 151, 153
Gyrinus mithrae, 145, 151-3
Haliplus ruficollis, 151-3, 156; variegatus, 145
Harpalus rufibarbis, rufipes, 3; tenebrosus, 100
Helochares griseus, 151-3, 156
Helophorus, 145; aquaticus, 151-3; brevipalpus, 151, 153; micans, 151-3
Hemicoelus fulvicornis, *nitidus, 253-4
Herophydrus musicus, 151, 153-4
Hydaticus seminiger, 209; transversalis, 151-3
Hydrobius, 145
Hydrochara, 145
Hydrochus, 145
Hydrophilus, 145; piceus, 151, 153
Hydroporus melanarius, 209; palustris, tessellatus, 151, 153-4
Hydrovatus cuspidatus, 151, 153
Hylastes ater, brunneus, 256
Hypera meles, plantaginis, 206
Ilybius obscurus, 209; quadriguttatus, 151-3, 156
Laccobius, 145; striatulus, 151-3
Laccophilus minutus, 151, 153; variegatus, 151, 153-4
Laemostenus terricola, 100
Leiodes badia, calcarata, clavicornis, 174
Leistus ferrugineus, fulvibarbis, 142; rufomarginatus, 68, 142, 170, 174; spinobarbis, 142
Leptacinus, 231
Leptinotarsa, 108
Leptura rubra, 52
Lesteva brevipennis, 201-3; championi, 202-4; fluviata, 201-4; kargilensis, 201, 204; monticola, 203; steeli, 201-2; torrentum, 201, 204
Licinus depressus, 37
Limnoxenus niger, 151-3, 156
Lithostygnus serripennis, 210
Lomochusa emarginata, 22
Loricera pilicornis, 3, 4, 142, 246
Masoreus wetterhali, 100
Mecinus circularus, 100
Melasis buprestoides, 78, 118
Meotica *lohsei, 44
Miscodera arctica, 3
Mordellistena humeralis, neavaldeggiana, 78
Mycetaea hirta, 210
Nebria brevicollis, 3, 142; gyllenhali, 3; salina, 174; spp., 4
Nephones titon, 232
Noterus clavicornis, 151, 153-4
Notiophilus aestuans, 174; biguttatus, 3, 142; palustris, 174; rufipes, 142
Oligella fovealata, 232
Orchesia minor, 78
Orsodacne lineola, 48
Oulema, 108
Oxytelus sculptus, 232
Paracymus, 145; scutellaris, 151-3
Patrobus assimilis, 174; atrorufus, 3, 142
Peltodytes caesus, 145, 151, 153
Perigona nigriceps, 232
Phacophallus parumpunctatus, *tricolor, 231
Phyllodrepoidea crenata, 125-6
Phymatodes testaceus, 54
Pissodes castaneus, 78
Pityogenes trepanatus, 54
Platycis minuta, 100
Platydorus ruficollis, 3
Pogonus chalceus, 3
Polydrusus chrysomela, 174
Prionocyphon serricornis, 78
Prionychus ater, 144
Pristonychus terricola, 142
Psylliodes napi, weberi, 174
Pterostichus adstrictus, 3; aethiops, 174; cristatus, 47; madidus, 1-5, 47, 142; melanarius, 1, 3; niger, 3, 4, 142; nigrita, 3; strenuus, 3, 142; vernalis, 142
Ptiliopycna moerens, 188
Ptilinus pectinicornis, 118
Ptinella errabunda, 188
Ptinus dubius, 37; subpilosus, 162
Pytopterus nigroruber (=affinis), 254
Pyrrhidium sanguineum, 54
R(h)antus grapii, 209; pulverosus, 151, 153
Scolytus scolytus, 125
Siagonium quadricorne, 126
Sitona waterhousei, 100
Spercheus emarginatus, 151-3, 156
Staphylinus ater, 26
Stegobium paniceum, 253
Stenopterapion, 227
Stenus brevipennis, 225; fossulatus, guttula, guynemeri, pusillus, 246
Stethorus punctillum, 110
Strangalia aurulenta, 100; quadrifasciata, 11, 166, 242
Synchita humeralis, 78
Synuchus nivalis, 142
Tapinotus sellatus, 100
Tenebrio, 105
Trechus discus, 44; obtusus, quadristriatus, 132
Trichius fasciatus, 11, 162
Xyleborus dispar, 78
Xyloterus domesticus, 76
Zyras limbatus, 22

COLLEMBOLA

Anurida ellipsoides, sensillata, thalassophila, 41-2
Arrhopalites caecus, 41, 43
Brachystomella nubila, parvula, 41-2
Ceratophysella, 112
Cyphoderus ambigua, 41, 43
Dicyrtoma minuta, 41, 43
Entomobrya corticalis, lanuginosus, 41-2
Folsomia brevifurca, candida, fimetaria, litsteri, multiseta, quadrioculata, 41-2
Folsomides parvulus, 41-2
Friesia mirabilis, 41-2
Heteromurus major, nitidus, sexoculatus, 41-2
Hypogastrura denticulata, manubrialis, tullbergi, 41-3
Isotoma notabilis, 41-3; olivacea, viridis, 41-2
Isotomiella minor, 41-2
Isotomina orientalis, pontica, thermophila, 41-2
Isotomurus palustris, 41-2
Lepidocyrtus cyaneus, lanuginosus, ruber, 41-2
Neanura aurantiaca, decolorata, echinata, muscorum, 41-2
Neelus murinus, 41, 43
Odontella bayeri, lamellifera, 41-2
Onchiurus bicampatus, fimatus, granulosus, pseudogranulosus, rectapapillatus, sibiricus, quadriocellatus, 41-2
Podura aquatica, 41-2
Priosotoma minuta, schoetti, 41-2
Pseudachorutes dubius, parvulus, subcrassus, 41-2
Pseudosinella duodecimpunctata, impari-punctata, 41-2; octopunctata, 41-43
Sminthurides malmgreni, pumilis, 41, 43
Sminthurinus bimaculatus, elegans, 41, 43
Tomocerus minor, vulgaris, 41-43
Tullbergia affinis, callipygosa, krausbaueri, 41, 42
Willemia anaphthalma, 41-42
Xenylla humicola, maritima, 41-2

DERMAPTERA

Diplatys beroni, 164-5; coriaceous, 165; ruwenzoricus, 163; saxeus, 163-4; taurinius, 163-5

DICTYOPTERA

Blatta orientalis, 45

DIPTERA

Frit-fly larvae, collecting method, 139
Achalcus cinereus, 245
Anthomyza, 235
Aphiochaeta deltomera, 191
Bellardia agilis, strictus, 242
Bombylius major, 230
Borophaga femorata, flavimana, o'kellyi (syn.n.), subsaltans, 115
Cecidomyiidae, 142
Campichoeta, 242
Chalcosyrphus, 205
Cheilosia, 205; grossa, 165
Citrago (syn.n. of Triphleba), 247; citreiformis, 247-8; collini (preocc.), smithi (nom.n.), 248
Cnephia fuscipes, lapponica, lyra, macropyga, pallipes, trigonia, ursinum, 242
Coelomyia, 242
Conicera kempi, 29; procericornis, 30
Conosyrphus tolli, 205
Copromyza atra, fimetaria, similis, 162
Coridophora convexa, nigriventris, semicimex, 9-10
Criorhina ranunculi, 165
Damalis, 120
Dasineura muricata, 5
Dasyhelea *bilineata, dufouri, versicolor, 233
Dasysyrphus arcuatus, friuliensis, 245; hilaris, 206; venustus, 245; venustus f. hilaris, 245
Diadelops, 235
Diastata, 242
Diopsis apicalis, collaris, macquartii, macrophthalma, thoracica, 212
Diplonevra abdominalis (syn.n.), 113-5; flexuosa (syn.n.), 115; florea, 113-4; florea v. versicolor, 113; fulviventris, (syn.n.), 115; palpina (syn.n.), 113; sororcula (syn.n.), versicolor (syn.n.), 115
Drosophila funebris, 26; obscura, subobscura, 157-61
Dryomyza anilis, 162
Dyscritomyia, 74
Edaphomyia (syn.n. of Coridophora) nigriventris, 9-10
Elachiptera pubescens, 162
Epistrophe, 205
Eriozona syrphoides, 248
Eristalis, 186; pertinax, 165
Eristalodes taeniops, 205
Eumerus basalis, 205
Eruina lurida, 238
Eusimulium latipes, vernum, 242
Fannia, 242; mutica, 162
Fuciellia maritima, 26
Geomyza apicalis, balachowskyi (=combinata), 96; breviseta, venusta, 96
Goniurellia, 210
Halocladius (Psammocladius) braunsi, 26
Heleomyza serrata, 162

Helophilus, 208
Heringia senilis, 206
Hydrotaea cyrtoneurina, 162
Hypocera citreiformis, 247
Kaltenbachiella, 242
Kaltenbachiola, 242
Lauxaniidae, 142
Leptocera claviventris, clunipes, fontinalis, fungicola, luteilabris, palmata, scutellaris, silvatica, 162
Lispocephala, 74
Lonchoptera lutea, 162
Lucilia, 74
Megaselia attenuata, 193; deltomera, 189-91; **morani**, 189-90; nubila, pentagonalifrons, 193; **southwoodi**, 191-3
Melangyna coei, 205; lasiophthalma, 165; lucifera, 205
Mellichiella, 242
Merodon, 205
Metacnephia, 242
Metasyrphus, 206
Microchironomus deribae, 44
Micropeza corrigiolata, lateralis, 86
Musca domestica, 45
'Musca' subsultans, 115
Myathropa, 206
Nemopoda nitidula, 162
Neoleria ruficauda, 162
Oedalea holmgreni, 162
Oestrus aureargentatus, macdonaldi, ovis, regalis, variolosus, 53
Orthonevra, 205
Otitidae, 142
Oxycera trilineata, 242
Parargus, 206
Parapenium, 205; lucidum, 206
Parasyrphus, 205
Phaenicia, 74
Plastophora, 242
Platycephala planifrons, 238
Prosimulium, 242
Protocalliphora azurae, chrysorrhoea, sordida, 242
Pseudonapomyza asiatica, 69-70; domestica, 70; **gujaratica**, 69-70; mulheri, 70
Podocera, 235
Rabdophaga, 242
Rhinoestrus tshernyshevi, 53
Scathophaga stercoraria, 162
Scoliocentra villosa, 162
Sepsis cynipsea, 162; fulgens, 142
Simulium amazonicum, 120; aureum, 252; austeni, 31; equinum, 252, erythrocephalum, 31-5; lineatum, 252; posticatum, 31; reptans, 252
Sphaerocera curvipes, 162
Spharophoria batava, 206
Sphegina, 205
Spilogona triangulifera, 242
Stenomicra angustiforceps, 237; **cogani**, 235-8; delicate, 235
Syrphidae, 142
Tipula nigra, 30
Tipulidae (collecting method), 139-40
Toxorhynchites brevipalpis, 210
Triphleba crassinervis, 247-8; disparinervis, collini, 248; *flexipalpis, 255; gracilis, 247; 'palposa', 255, smithi (**nom.n.**), 255; vitrea, 255
Tropidia scita, 30
Volucella, 186
Wachtliella riparia, 5
Xylota, 205; segnis, 193
Zephyrectes, 230

HEMIPTERA

Anthocoris *amplicollis, confusus, 111
Aphis pyri, 112
Arctorthezia cataphracta, 27-8
Berytus consimilis, 112
Blissus insularis, richardsoni, 7
Capsus ater, 176
Cavlerius excavatus, 7
Delphacodes dalei (**syn.n.**), 49
Dicyphus annulatus, 82; californicus, 79; constrictus, 83; cucurbitaceus (=agilis), discrepans, 79; epilobii, 83; errans, 85; globulifer, 82; pallicornis, 79-81; rhododendri, 79-86; stachydis, 85 (see also Neodicyphus)
Dimorphopterus brachypterus, gramium, 8; nubius, 8; similis, 7
Eriococcus, 210
Eupteryx atropunctata, melissae, origani, tennella, 256
Ischnodemus congoensis, diplachne, perplexus, 7
Lamprodelphax, 49-50; dalei (**comb.n.**), 50
Lecanium acuminatum, 112
Lygaeus quadripunctatus, 176
Macrosiphoniella sanbornii, 57
Neodicyphus, 79; californicus (**comb.n.**), cucurbitaceus (**comb.n.**), 79; rhododendri (**comb.n.**), 79-86
Oliarus panzeri, 96
Orthezia signoreti, urticae, vejdovskyi, 27
Pachycoleus rufescens, waltli, 194
Paralibornia, 49
'Pediculus' cataphractus, 27-8
Platymeris *biguttata, 45-6; rhadamanthus, 46
Prociphilus, 111
Purohita arundinacea, cervina, 23; **punjabensis**, 23-5
Saldula sp., 246
Struebingianella dalei (**syn.n.**), 50
Trialeurodes vaporariorum, 57
Trichodelphax splendidus, 50
Trigonocranus emmeae, 96

HYMENOPTERA

Mason wasp mapping scheme, 229
Ancistrocerus gazella, parietum, 176
Andricus kollari, lignicola, 116; quercus-calicus, 116, 121-3
Aphelinus mytilaspidas, 120
Cephalcia lariciphila, 10
Chlorocytus sp., 249
Claremontia, 73
Crossocerus denticoxa, denticrus, distinguendis, elongatulus, 19; exiguus, 19, 20; leucostoma, 252; wesmaeli, 19-20, 252
Dicrostema, 210
Dolichovespula maculata, 71; norvegica, 172, 213, 215-6, 218; sylvestris, 171-2, 213-8
Ectemnius borealis, negrinus, 109
Eurytoma sp., 249
Gorytes bicinctus, 99
Hartigia albomaculatus, 249-52; linearis, 251
Lasius flavus, fulginosius, 22; niger, 199
Megaponera foetens, 244
Microdynerus exilis, 109
Monophadnoides alternipes, geniculata, tenuicornis, waldheimi, 73
Myrmica sabuleti, 22, 98; scabrinodis, 98
Nematus fagi, 119
Pachycondyla commutata (tarsata), 243-5
Paracharactus gracilicornis, 210
Passaloecus corniger, 117; eremita, 117-9; gracilis, 117; insignis, 118
Priophorus morio, pallipes, pilicornis, rufipes, ulmi, 119
Pseudopimpla pygidiator, 249-52
Rhyssa persuasoria, 195-8
Sirex cyaneus, 195-8
Synergus gallaepomiformis, umbraculus, 116
Syntomaspis cyanea, 123
Tenthredo balteata, colon, fagi, ferruginea, livida, 198
Trichiocampus aeneus, viminalis, 119
Uroceros gigas, 195-8
Vespa crabro, 172
Vespula germanica, 71-3, 215; maculifrons, 71; rufa, 215, 218; vulgaris, 71-3, 171, 218

ISOPTERA

Reticulitermes santonensis, 45
Syntermes, 243

LEPIDOPTERA

Migrant Achaea, 77; Heterocera of Mombasa, 87
Abrostolis triopis, 91
Abynotha meinickei, 88
Achaea catocaloides, 17-8; faber, 90; lienardi, 17-8; mercatoria, 90; praestans, 17-8, 90; stumpfi, 90; thermopera, 17-8
Acherontia atropos, 88
Acontia malvae, 90
Acronicta alni, f. melaina, ab. steinerti, ab. suffusa, 207-9
Aegocera trimeni, 90
Aganais speciosa, 87; f. unicolor, 88
Agathodes musivalis, 92
Agrotera citrina, 92
Agrotis redimicula, 120; ypsilon, 90
Analyta calligrammalis, 92
Andriasa contraria (incl. f. stigmatica), 88
Androlymnia ciavata, 90
Anisodes lyciscaria, 91
Antarchaea subflavalis, 91
Antharmostes papilio, 91
Antheua tricolor, 89
Anticharsa atriplaga, 91
Antigastra catalaunalis, 92
Anua mejansi, tettensis, tirhaca, 90
Apisa canescens, 87
Argemma mimosae, 88
Argyrophora longivalvis, 90
Arniocera elata, 87
Atemnara westermanni, 88
Athetis ? nr. heliastis, 90
Attatha ethiopica, 90
Attonda alboguttata, 91
Audea bipunctata, endophaea, meloleucha, 90
Automolis, 87
Azygophlebs scalaris, 90
Bamra glaucopasta, marmorifera, 91
Banasia aldabrana, cana, myrsusalis, 89
Bareia incideus, 91
Beteusa verticalis, 89
Blenina chloromelana, 90
Boarmia octomaculata, 91
Bocchoris flavibrunnea, 92
Bombycopsis nigrovittata, 88
Bunaea alcinoe, 88
Cacochloris ochrea, 91
Calesia zambesita, 91
Calliodes pretiosissima, 90
Callyna figurans, 90
Caryatis hersilia, 88
Cecidothyris guttulata, pexa, 89
Celama melanoscelis, 87
Celerio lineata livornica, 89
Cerynea ignealis, 90
Chalciope delta, erecta, hyppasia, 90
Characoma nigricollaris, 90
Chlorissa albicristulata, 91
Chrysopoloma varia, 89
Cirina forda, 88
Cirphis loreyi, tincta, 90
Clania cervani, 89
Cleora cancer, rothkirchi ssp. amydropa, 90

Coelonia mauritii, 88
Comibaena pulchra, 91
Conolophia conscitaria, 91
Cossus terebroides, 90
Dasychira extorta, pheosia, 88
Decachorda aspersa, 88
Derapteryx steniptera, 87
Desmeocraera latex, 89
Diasema ramburialis, 92
Ditrysia, 77
Dysodia intermedia, 89
Earias cupreoviridis, 90
Emmonodia allardi, rufescens, 90
Endotrichia vinolentalis, 92
Entogramma pardus, 90
Epaena danista, 89
Epiphora mythimnia, 88
Ercta ornatilis, 92
Erebus macrops, 90
Eriopus yerburyi, 90
Eublemma acarodes, anachoresis, bipartita, cochylioides, ragusana, 90
Euclasta aethiops, 92
Euelidisema delta, erecta, 90
Eulymnia pulcherrima, 90
Eurrhyparodes tricoloralis, 92
Eutelia discistriga, melanga, mima, musicalis, 90
Focidina semifimbria, 91
Gnamptonyx vilis, 91
Godasa sidae, orientis. 88
Grammodes stolida, 90
Hapana verticalis, 89
Hemerophila serrataria, 91
Hippotion balsaminae, irregularis, mourei, osiris, 89
Hoplojana rhodoptera, 88
Hyblaea euryzona, 91
Hymenoptychis sordida, 92
Hypocala deflorata, 91
Hypolamprus gangaba, 89
Hypsopygia mauritialis, 92
Kuja carcassoni, 89
Lamoria planalis, 92
Lamprosema ommatilis, 92
Lasiocampidae, 88
Latoia latistriga, 89
Leocinodes vagans, 92
Leocyma apollinis, caudace, 90
Lepyrodes argyrosticta, capensis, geometralis, 92
Likoma crenata, 88
Lobobunaea epithyrena, natalensis, 88
Lophocytara phoeniochlora, 90
Lophoruza lithina, 90
Ludia dentata, 88
Maculinea arion, ssp. eutyphron, 97
Maenas arborifera, 88
Manduca sexta, 219
Marcipa pyramidalis, 91
Margaronia amicilis, negatilis, 92
Mecyna gilvata, 92
Metarctia, 87
Mixocera albistrigata, viridans, 91
Mocis frugalis, 91
Nadiasa nyassanum, 88
Nagia linteola, natalensis, 91
Nemea betousalis, 89
Nemophora degeerella, 30
Nephete aequivalens, comma, funebres, illustris, peneus, rosae, vau, 89
Niphadolepis sinistra, 89
Nola major, 87
Nudaurelia anna, said, wahlbergi, zambesina, 88
Nyctipao walkeri, 90
Obtusipalpis pardalis, 92
Odontopacha tesestrata, 88
Oglasa cornuta, nana, 91
Ophideres fullonica, 91
Ophiusa tirhaca, 90
Orgyia mixta, 88
Pachynoa sabelialis, 92
Pagyda labarynthalis, 92
Pandesma anysa, quenavadi, 91
Papilio fatima, 120
Parocotis octopunctata, 91
Parafodina pentagonalis, 91
Parallelia conjunctora, 90
Parastichtis nigricostata, 90
Pemba favillacea, 88
Pericyma umbrina, 91
Perigea multipunctata, 90
Phalera imitata, lydenburgi, 89
Phasicnemus gregori, obtusus, 88
Phlegetonia callichroma, 90
Pheonicocampa terinata, 91
Phytometra, 91
Pitthia fuliginosa, mungoi, 91
Plecoptera hypoxantha, laniata, 91
Plodia interpunctella, 45
Polia mesoglauca, 90
Poliana witgensi, 88
Polydesma collutrix, 91
Polymona rufifemur, 88
Porthesia dewitzii, 88
Problepsis digrammata, 91
Prodotis stolida, 90
Pseudaphelia apollinaris, 88
Pseudoclanis pestica, 88
Pterodoa monosticta, 88
Pygospila tyres, 92
Racotis proximaria, 91
Raparna imparala, 91
Remigiodes remigina, 90-1
Rhanidophora flavigutta, 91
Rhodogastria phaedra, 88
Rhodoneura acaciusalis, elaralis, idalialis, myrsusalis, sordidula, 89
Salagena narses, tessellata, 89
Sapelia tavetensis, 88
Scardamia maculata, 91
Sceliodes laisalis, 92
Schausia coryndoni, daria, 90
Secusio strigata, 88
Serrodes (inara), partita, 91

Semiothesa elata, 91
Sevastopulea celaenocera, 88
Sindris albimaculalis, 92
Somatina centrophora, figurata, vestalis, 91
Sphingonaepiopsis ansorgei, nana, 88
Spodoptera mauritia, 90
Sylepta balteata, derogata, 92
Tachosa acronyctoides, 90
Tarache antica, discoidea, nitidula, unbrigera, 90
Taviodes pallidipennis, 91
Temnura curvilimes, elegans, fumosa, marginata, pernix, polia, pseudopylas, tapygoides, zantus, 89
Theretra monteironis, 89
Trachea consummata, 90
Traminda vividaria, 91
Trichanua mejansi, 90
Tricholoba immodica, 89
Trigonodes hyppasia, 90
Trimetopia aetheraria, 91
Ugia amaponda, 91
Ulotrichopus primulina, 90
Urola angulata, 88
Uresiphita gilvata, 92
Xanthopan morgani, 88
Xenimpia erosa, 91
Xenochroma candidata, 91
Zamarada calypso, chrysopa, collarti, crystallophana, cucharita, cyippe, denticincta, dentigera, differens, erugata, keraia, labrys, metrio, ochrata, plana, rufilinearia, scaphes, torrida, varii, vulpina, 91

ODONATA

Belonia croceipennis, 184
Brachythemis lacustris, 177-87; leucostricta, 184
Celithemis eponina, 178
Ceriagrion melanurum, 177
Crocothemis sanguinolenta, 187
Epitheca sepia, stella, 177
Libellula luctuosa, 185
Mortonagrion selenion, 177
Nesciothemis farinosum, 177-87
Olpogastra, 184
Orthetrum chrysostigma, 181
Palpopleura, 184
Perithemis tenera, 184
Tetrathemis polleni, 185
Trithemis arteriosa, 182-3
Typus, 176

ORTHOPTERA

Acrydium undulatum, 210
Locusta migratoria, 234
Romalea microptera, 234
Schistocerca americana, 234

PSOCOPTERA

Badonnelia titei, 226
Lepinotus patrelis, 226
Psyllipsocus ramburi, 226

SIPHONAPTERA

Stenoponia himalayana, polyspina, 167; tripectinata, 167, 169; t. acmaea, t. blanda, 168; t. gaudi, 167; t. medialis, t. separata, t. tingitana, 170; t. tripectinata, t. thinophila, 168

THYSANOPTERA

Caliothrips indicus, 176
Frankliniella parvula, 64
Haplothrips niger, 175-6
Hercinothrips fasciatus, 65; femoralis, 57, 64
Odontothrips loti, 65
Taeniothrips inconsequens, 65
Thrips, 66; imaginis, 60, 64; rufa, 120; tabaci, 55-67

TRICHOPTERA

Tinodes malachlani, 143

GROUPS OTHER THAN INSECTA AND ARACHNIDA

Annelida (trapping methods), 139
Aves, 37, 199
Crustacea, 26
Mammals, 53, 162, 167-8
Myriapoda, 112, 143, 210
Nematoda, 26

ERRATA AND CORRIGENDA

Page	Line	For	Read
iv	2 (up)	O'Conner	O'Connor
iv	7 (up)	"	"
xi	25 (up)	Wirth, W.	Wirth, W. W.
51	8 (up)	Researve	Reserve
65	22	*imagainis*	*imaginis*
67	1	*control*	control
88	2 (up)	*ansogei*	*ansorgei*
142	5 (up)	trass	grass
151	16 (up)	*Helphorus*	*Helophorus*
154	11	*Agabus*	*Gaurodytes*
173	13	BUCZACHI	BUCZACKI
173	13	Delete the 'H.' in KEITH H. HARRIS	

Produced by Gem Publishing Company (Oxon) Ltd, Brightwell, Wallingford, Oxon.